



Dear Laboratory Director:

Attached below is your clinical laboratory license.
Your license is void after the expiration date below.

Expiration Date: AUGUST 05, 2010

AMERITOX, LTD
9930 WEST HWY 80
MIDLAND, TX 79705

DISPLAY:

State law requires that the clinical laboratory license shall be conspicuously posted in the clinical laboratory.

**CHANGE OF LABORATORY NAME,
DIRECTOR, OWNER AND/OR ADDRESS:**

State law requires that you notify this office **WITHIN 30 DAYS** of any change in ownership, name, location or laboratory directors. **YOUR LICENSE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE OCCURS.** Mail written notification of the above changes to the address indicated below:

California Department of Public Health
Laboratory Field Services, Facility Licensing Section
850 Marina Bay Parkway, Building P, 1st Floor
Richmond, CA 94804-6403

Thank you for your cooperation.

Labclin 11/28/07

Tear Here

Tear Here

**State of California Department of Public Health
Clinical Laboratory License**

In accordance with the provisions of Chapter 3, Division 2, of the Business and Professions Code, the persons named below are hereby issued a license authorizing operation of a clinical laboratory at the indicated address or other site(s) on file with the department.

AMERITOX, LTD
9930 WEST HWY 80
MIDLAND, TX 79705

OWNER(S):

AMERITOX, LTD.
STERLING AMERITOX HOLDING, INC.
JOEL (COO) A MCENDREE
ROBERT BENNETT

DIRECTOR(S):

JAMES A BOURLAND PHD

GLIA Number: 45D1005035
Lab ID Number: COS 800154
Effective Date: AUGUST 06, 2009
Valid Until: AUGUST 05, 2010

Karen L. Nickel

Karen L. Nickel, Chief
Laboratory Field Services